



**Dialogic® IMG 1010 Integrated Media Gateway**

**Dialogic® MSP 1010 Multi Services Platform**

**Filter Maintenance and Replacement procedures**

# Copyright and Legal Notice

---

Copyright © 2005-2011 Dialogic Inc. All Rights Reserved. You may not reproduce this document in whole or in part without permission in writing from Dialogic Inc. at the address provided below.

All contents of this document are furnished for informational use only and are subject to change without notice and do not represent a commitment on the part of Dialogic Inc. and its affiliates or subsidiaries (“Dialogic”). Reasonable effort is made to ensure the accuracy of the information contained in the document. However, Dialogic does not warrant the accuracy of this information and cannot accept responsibility for errors, inaccuracies or omissions that may be contained in this document.

INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH DIALOGIC® PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN A SIGNED AGREEMENT BETWEEN YOU AND DIALOGIC, DIALOGIC ASSUMES NO LIABILITY WHATSOEVER, AND DIALOGIC DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF DIALOGIC PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY INTELLECTUAL PROPERTY RIGHT OF A THIRD PARTY.

Dialogic products are not intended for use in certain safety-affecting situations. Please see <http://www.dialogic.com/about/legal.htm> for more details.

Due to differing national regulations and approval requirements, certain Dialogic products may be suitable for use only in specific countries, and thus may not function properly in other countries. You are responsible for ensuring that your use of such products occurs only in the countries where such use is suitable. For information on specific products, contact Dialogic Inc. at the address indicated below or on the web at [www.dialogic.com](http://www.dialogic.com).

It is possible that the use or implementation of any one of the concepts, applications, or ideas described in this document, in marketing collateral produced by or on web pages maintained by Dialogic may infringe one or more patents or other intellectual property rights owned by third parties. Dialogic does not provide any intellectual property licenses with the sale of Dialogic products other than a license to use such product in accordance with intellectual property owned or validly licensed by Dialogic and no such licenses are provided except pursuant to a signed agreement with Dialogic. More detailed information about such intellectual property is available from Dialogic’s legal department at 926 Rock Avenue, San Jose, California 95131 USA. **Dialogic encourages all users of its products to procure all necessary intellectual property licenses required to implement any concepts or applications and does not condone or encourage any intellectual property infringement and disclaims any responsibility related thereto. These intellectual property licenses may differ from country to country and it is the responsibility of those who develop the concepts or applications to be aware of and comply with different national license requirements.**

Dialogic, Dialogic Pro, Dialogic Blue, Veraz, Brooktrout, Diva, Diva ISDN, Making Innovation Thrive, Video is the New Voice, Diastar, Cantata, TruFax, SwitchKit, SnowShore, Eicon, Eiconcard, NMS Communications, NMS (stylized), SIPcontrol, Exnet, EXS, Vision, PowerMedia, PacketMedia, BorderNet, inCloud9, I-Gate, ControlSwitch, NaturalAccess, NaturalCallControl, NaturalConference, NaturalFax and Shiva, among others as well as related logos, are either registered trademarks or trademarks of Dialogic Inc. and its affiliates or subsidiaries. Dialogic’s trademarks may be used publicly only with permission from Dialogic. Such permission may only be granted by Dialogic’s legal department at 926 Rock Avenue, San Jose, California 95131 USA. Any authorized use of Dialogic’s trademarks will be subject to full respect of the trademark guidelines published by Dialogic from time to time and any use of Dialogic’s trademarks requires proper acknowledgement.

The names of actual companies and products mentioned herein are the trademarks of their respective owners.

## **Hardware Limited Warranty**

Please refer to the following Dialogic web site for information on hardware warranty information, which applies unless different terms have been agreed to in a signed agreement between yourself and Dialogic Corporation or its subsidiaries. The listed hardware warranty periods and terms are subject to change without notice. For purchases not made directly from Dialogic, please contact your direct vendor in connection with warranty period and terms that they offer.

<http://www.dialogic.com/warranties>

# Table of Contents

---

- 1. **Filter Replacement and Maintenance ..... 5**
  - Tools Required.....5
  - Procedure .....5

## Revision History

---

Revision	Release date	Notes
62-0862-01 Rev 01	June, 2009	<ul style="list-style-type: none"><li>• Initial Release</li></ul>
62-0862-01 Rev 02	April, 2011	<ul style="list-style-type: none"><li>• Updated Dialogic Logo</li><li>• Updated Copyright</li></ul>
Last modified: April 28, 2011		

Refer to [www.dialogic.com](http://www.dialogic.com) for product updates and for information about support policies, warranty information, and service offerings.

# 1. Filter Replacement and Maintenance

---

The Dialogic® IMG 1010 Integrated Media Gateway (IMG 1010) and Dialogic® MSP 1010 Multi-Services Platform (MSP 1010) are cooled by four high speed fans that draw in air through slots located on the right and left hand side of the front panel. The air is drawn in through two foam air filters located behind the front panel. These filters need to be inspected and replaced periodically. Follow the procedure below to replace the filters.

**Note:** Dependent on air quality, the air filter should be checked every six months for contamination (More frequently if air quality is bad). Do not try to clean the filter and always replace a dirty filter with a new one. A partially cleaned filter installed incorrectly will contaminate the system.

## Tools Required

- #2 Phillips tipped screwdriver
- Needle nose pliers or tweezers. (Used to remove the filter)

## Procedure

To replace the filters, the system does **not** need to be powered down.

1. The filters are located on the front of the unit behind the slotted openings. See picture below.




2. To replace the filters, remove the two 4-40 x 1/4" flat head screws located on the top right and top left hand side of the front panel.



## ROM Upgrade for Ethernet redundancy.

3. Using thumb and forefinger, grasp the top and bottom of front panel on right side of unit and pull back to slightly reveal the foam air filter.

**Note:** This method will not allow the front panel to be removed but will allow a technician to pull the right and left side of the plastic front panel back slightly. Only one side should be pulled back at one time.



4. Using a pair of tweezers or needle nose pliers grasp the filter and remove from unit.
5. Install new filter using needle nose pliers or tweezers. The filter does not have a front or back and cannot be installed backwards.
6. Re-install the 4-40 x 1/4" flat head screw. Tighten screws to 5 in-lbs. (Do not over tighten.)
7. Replace foam filter from under the left side of the front panel. Replacement of the left hand filter is done in the same manner.